

Well Depth Measurement Comparison of 2014 & 2015 Measurements

Sandy Land Underground Water Conservation District

Well Number	Section Number	2014 Measurement W/MP Adjust	2015 Measurement W/MP Adjust	2014 vs 2015
24-33-801	41	135.40	135.90	0.50
24-41-201	100	DRY	DRY	
24-41-502	183	171.10	168.10	3.00
24-41-602	187	113.70	116.40	2.70
24-41-802	306	77.30	77.80	0.50
24-41-804	305	81.90	83.80	1.90
24-42-401	128	127.70	129.40	1.70
24-42-801	252	160.10	161.80	1.70
24-43-403	196	89.90	89.70	0.20
24-43-501	146	110.70	110.60	0.10
24-43-801	260	84.00	LOCKED	
24-44-101	10, Block K	140.80	140.80	0.00
24-49-101	344	49.90	50.90	1.00
24-49-201	365	55.00	55.80	0.80
24-49-203	397	93.50	94.60	1.10
24-49-303	368	30.00	32.10	2.10
24-49-401	418	142.80	144.30	1.50
24-49-601	422	82.20	DRY	
24-49-702	518		173.80	
24-49-802	540	152.80	156.10	3.30
24-49-903	514	142.60	139.10	3.50
24-50-203	371	104.10	104.00	0.10
24-50-204	312	156.50	154.40	2.10
24-50-402	425	107.20	108.00	0.80
24-50-501	440	47.10	47.40	0.30
24-50-801	510	86.30	86.90	0.60
24-51-101	317	125.80	126.10	0.30
24-51-201	380	76.90	77.70	0.80
24-51-602	489	122.70	120.10	2.60
24-51-701	504	113.40	114.20	0.80
24-52-701	40, Block K	105.60	106.60	1.00
24-57-101	581	146.30	148.50	2.20
24-57-301	576	121.30	120.50	0.80

Well Number	Section Number	2014 Measurement W/MP Adjust	2015 Measurement W/MP Adjust	2014 vs 2015
24-57-302	640	89.90	90.00	0.10
24-57-501	642	74.40	82.70	8.30
24-57-502	707	50.80	LOCKED	
24-57-601	734	82.90	82.20	0.70
24-57-702	772	96.60	96.10	0.50
24-57-802	770	83.40	84.00	0.60
24-57-901	797	74.10	75.20	1.10
24-58-101	607	107.30	107.10	0.20
24-58-201	610	107.60	107.40	0.20
24-58-301	632	111.60	112.50	0.90
24-58-401	637	84.90	87.80	2.90
24-58-501	634		DRY	
24-58-601	696	103.80	101.90	1.90
24-58-801	764	94.80	95.20	0.40
24-58-901	761	71.60	71.50	0.10
24-59-101	566	96.70	96.60	0.10
24-59-201	564	58.30	57.80	0.50
24-59-301	627	128.60	130.30	1.70
24-59-601	690		DRY	
24-59-801	757	72.60	72.30	0.30
24-60-402	686	95.10	95.50	0.40
24-60-701	752	DRY	DRY	
25-48-301	121	131.70	131.50	
25-48-601	165	115.70	115.00	0.70
25-48-801	299	64.90	64.00	0.90
25-56-201	358	124.00	124.30	0.30
25-56-502	414	149.60	148.70	0.90
25-56-802	534	140.70	142.50	1.80
25-56-901	521	147.20	148.80	1.60
25-64-301	597	149.20	149.30	0.10
25-64-501	660	131.90	DRY	
25-64-602	710	DRY	DRY	
25-64-801	777	146.90	148.30	1.40
25-64-901	789	148.90	150.10	1.20

Well Number	Section Number	2014 Measurement W/MP Adjust	2015 Measurement W/MP Adjust	2014 vs 2015
26-08-202	852	164.60	167.00	2.40
27-01-101	901		DRY	
27-01-202	835	122.10	125.90	3.80
27-01-301	895		BEES	
27-01-302	862		DRY	
27-02-101	864	70.80	70.60	0.20
27-02-303	825	71.30	71.10	0.20
27-03-101	886	131.90	129.10	2.80
27-03-202	819	128.30	131.50	3.20
27-04-101	19, Block C34, PSL	141.50	142.10	0.60
24-44-701	20, Block K, PSL	23.50	23.40	0.10
22-42-504	154	88.90	89.10	0.20
25-48-921	241	69.80	69.30	0.50
26-08-317	854	DRY	218.20	
24-50-605	431	85.40	86.70	1.30
24-57-112	645	78.30	77.90	0.40
24-58-508	700	93.20	94.10	0.90
27-02-212	891	98.60	99.20	0.60
24-50-924	549	114.10	112.60	1.50
24-57-735	791	198.60	196.20	2.40
25-48-329	106	132.70	136.20	3.50
24-41-535	160	95.10	94.40	0.70
	101	133.30	132.10	1.20
	248	71.50	71.20	0.30
	662	137.00	138.60	1.60
	902	0.00		

Average Difference in Well Depth Measurement from 2013 to 2014

0.48