

## Well Depth Measurement Comparison of 2018 & 2019 Measurements

Sandy Land Underground Water Conservation District

Well Number	Section Number	2018 Measurement W/MP Adjust	2019 Measurement W/MP Adjust	2018 vs 2019
24-33-801	41	135.10	135.00	0.10
24-41-201	100	121.30	121.90	0.60
24-41-502	183	Bees	169.50	
24-41-602	187	113.70	116.30	2.60
24-41-802	306	77.30	76.50	0.80
24-41-804	305	84.80	85.50	0.70
24-42-401	128	128.60	128.50	0.10
24-42-801	252	No access	No access	
24-43-403	196	88.40	88.10	0.30
24-43-501	146	113.70	114.20	0.50
24-43-801	260	No access	37.40	
24-44-101	10, Block K	144.60	140.00	4.60
24-49-101	344	51.70	52.20	0.50
24-49-201	365	57.20	56.30	0.90
24-49-203	397	95.40	97.30	1.90
24-49-303	368	33.30	33.90	0.60
24-49-401	418		151.20	
24-49-601	422			
24-49-702	518		168.80	
24-49-802	540	155.00	156.50	1.50
24-49-903	514		148.30	
24-50-203	371	103.30	103.50	0.20
24-50-204	312	152.60	152.00	0.60
24-50-402	425	107.30	107.70	0.40
24-50-501	440	48.10	48.20	0.10
24-50-801	510	88.30	88.40	0.10
24-51-101	317	125.00	122.70	2.30
24-51-201	380	78.60	79.50	0.90
24-51-602	489		125.40	
24-51-701	504		117.90	
24-52-701	40, Block K		107.40	
24-57-101	581	149.60	150.20	0.60
24-57-301	576	120.00	120.00	0.00

Well Number	Section Number	2018 Measurement W/MP Adjust	2019 Measurement W/MP Adjust	2018 vs 2019
24-57-302	640	90.90	91.20	0.30
24-57-501	642		81.90	
24-57-502	707	57.70	57.50	0.20
24-57-601	734	81.80	81.40	0.40
24-57-702	772	100.00	100.50	0.50
24-57-802	770	85.80	86.00	0.20
24-57-901	797	70.40	74.40	4.00
24-58-101	607	109.60	110.30	0.70
24-58-201	610	104.20	105.50	1.30
24-58-301	632			
24-58-401	637	87.50	87.40	0.10
24-58-501	634	DRY		
24-58-601	696	97.50	97.70	0.20
24-58-801	764	No access	71.90	
24-58-901	761	No access	76.40	
24-59-101	566	97.00	97.20	0.20
24-59-201	564	60.60	61.60	1.00
24-59-301	627	131.00	131.50	0.50
24-59-601	690	Caved In		
24-59-801	757	74.80	75.00	0.20
24-60-402	686		104.90	
24-60-701	752	DRY	50.00	
25-48-301	121	134.40	135.00	0.60
25-48-601	165	115.10	115.90	0.80
25-48-801	299	59.80	62.10	2.30
25-56-201	358		125.40	
25-56-502	414	dry	150.70	
25-56-802	534	dry	153.00	
25-56-901	521	145.70	143.50	2.20
25-64-301	597	151.50	153.40	1.90
25-64-501	660	DRY		
25-64-602	710	DRY		
25-64-801	777	hung in well	149.20	
25-64-901	789	151.80	152.30	0.50

Well Number	Section Number	2018 Measurement W/MP Adjust	2019 Measurement W/MP Adjust	2018 vs 2019
26-08-202	852		169.70	
27-01-101	901	DRY		
27-01-202	835	locked	124.20	
27-01-301	895	BEES		
27-01-302	862	DRY		
27-02-101	864	67.30	67.40	0.10
27-02-303	825	69.60	69.80	0.20
27-03-101	886	132.40	130.60	1.80
27-03-202	819	dry		
27-04-101	19, Block C34, PSL		144.20	
24-44-701	20, Block K, PSL		25.80	
22-42-504	154	88.80	88.60	0.20
25-48-921	241	68.60	69.70	1.10
26-08-317	854	218.00	218.80	0.80
24-50-605	431	84.90	84.50	0.40
24-57-112	645	84.10	85.10	1.00
24-58-508	700	94.90	95.00	0.10
27-02-212	891	98.10	98.50	0.40
24-50-924	549	109.00	103.20	5.80
24-57-735	791	208.00		
25-48-329	106	134.80	136.00	1.20
24-41-535	160	95.20	97.40	2.20
24-41-202	101	135.30	137.60	2.30
24-42-702	248	70.30	70.10	0.20
25-64-604	662	140.50	140.60	0.10
27-01-102	902	193.20	193.40	0.20

**Average Difference in Well Depth Measurement from 2018 to 2019**

**0.25**