

Well Depth Measurement Comparison of 2019 & 2020 Measurements

Sandy Land Underground Water Conservation District

Well Number	Section Number	2019 Measurement W/MP Adjust	2020 Measurement W/MP Adjust	2019 vs 2020
24-33-801	41	135.00	135.20	0.20
24-41-201	100	121.90	123.10	1.20
24-41-502	183	169.50	169.10	0.40
24-41-602	187	116.30	114.50	1.80
24-41-802	306	76.50	76.80	0.30
24-41-804	305	85.50	84.30	1.20
24-42-401	128	128.50	128.30	0.20
24-42-801	252	No access		
24-43-403	196	88.10	88.10	0.00
24-43-501	146	114.20	114.30	0.10
24-43-801	260	37.40	36.40	1.00
24-44-101	10, Block K	140.00	145.30	5.30
24-49-101	344	52.20	52.90	0.70
24-49-201	365	56.30	56.00	0.30
24-49-203	397	97.30	99.00	1.70
24-49-303	368	33.90	34.30	0.40
24-49-401	418	151.20	152.00	0.80
24-49-601	422	-----	-----	-----
24-49-702	518	168.80	running	
24-49-802	540	156.50	156.90	0.40
24-49-903	514	148.30	147.70	0.60
24-50-203	371	103.50		
24-50-204	312	152.00	152.90	0.90
24-50-402	425	107.70		
24-50-501	440	48.20	48.40	0.20
24-50-801	510	88.40	88.40	0.00
24-51-101	317	122.70	124.20	1.50
24-51-201	380	79.50	79.30	0.20
24-51-602	489	125.40	recheck	
24-51-701	504	117.90	recheck	
24-52-701	40, Block K	107.40	running	
24-57-101	581	150.20	150.50	0.30
24-57-301	576	120.00	120.30	0.30

Well Number	Section Number	2019 Measurement W/MP Adjust	2020 Measurement W/MP Adjust	2019 vs 2020
24-57-302	640	91.20	91.60	0.40
24-57-501	642	81.90	85.20	3.30
24-57-502	707	57.50	58.20	0.70
24-57-601	734	81.40	82.80	1.40
24-57-702	772	100.50	recheck	
24-57-802	770	86.00	87.50	1.50
24-57-901	797	74.40	74.10	0.30
24-58-101	607	110.30	109.70	0.60
24-58-201	610	105.50		
24-58-301	632	-----	-----	-----
24-58-401	637	87.40		
24-58-501	634	-----	-----	-----
24-58-601	696	97.70	recheck	
24-58-801	764	71.90		
24-58-901	761	76.40	76.10	0.30
24-59-101	566	97.20	98.30	1.10
24-59-201	564	61.60	62.60	1.00
24-59-301	627	131.50	133.10	1.60
24-59-601	690	-----	-----	-----
24-59-801	757	75.00	75.90	0.90
24-60-402	686	104.90	102.60	2.30
24-60-701	752	50.00	50.70	0.70
25-48-301	121	135.00	135.00	0.00
25-48-601	165	115.90	116.40	0.50
25-48-801	299	62.10	61.30	0.80
25-56-201	358	125.40		
25-56-502	414	150.70	150.10	0.60
25-56-802	534	153.00	151.00	2.00
25-56-901	521	143.50	running	
25-64-301	597	153.40	152.30	1.10
25-64-501	650	139.90	129.90	
25-64-602	710	-----	-----	-----
25-64-801	777	149.20	running	
25-64-901	789	152.30	152.50	0.20

Well Number	Section Number	2019 Measurement W/MP Adjust	2020 Measurement W/MP Adjust	2019 vs 2020
26-08-202	852	169.70		
27-01-101	901	-----	-----	-----
27-01-202	835	124.20		
27-01-301	895	-----	-----	-----
27-01-302	862	-----	-----	-----
27-02-101	864	67.40		
27-02-303	825	69.80	69.90	0.10
27-03-101	886	130.60	129.50	1.10
27-03-202	819	138.00	139.70	1.70
27-04-101	19, Block C34, PSL	144.20	145.00	
24-44-701	20, Block K, PSL	25.80	24.70	
22-42-504	154	88.60	88.60	0.00
25-48-921	241	69.70	69.90	0.20
26-08-317	854	218.80	recheck	
24-50-605	431	84.50	85.10	0.60
24-57-112	645	85.10	recheck	
24-58-508	700	95.00	95.40	0.40
27-02-212	891	98.50	97.90	0.60
24-50-924	549	103.20	103.60	0.40
24-57-735	791	running	running	
25-48-329	106	136.00	134.90	1.10
24-41-535	160	97.40	98.50	1.10
24-41-202	101	137.60	running	
24-42-702	248	70.10	70.60	0.50
25-64-604	662	140.60	141.30	0.70
27-01-102	902	193.40	running	

Average Difference in Well Depth Measurement from 2019 to 2020

0.28